



管理体系认证证书

证书编号: 01120EN20006R2L(F1-2)

OID 编号: 1.2.156.1.2.01120EN20006R2L(F1-2)

兹证明

台达电子电源（东莞）有限公司

(社会信用代码: 91441900712213354W)

(中国广东省东莞市石碣镇新城区台达工业区, 523308)

能源管理体系符合标准:

GB/T23331-2012/ISO 50001:2011 《能源管理体系 要求》
RB/T101-2013 《能源管理体系 电子信息企业认证要求》

本证书覆盖下述范围:

位于广东省东莞市石碣镇新城区台达工业区的台达电子电源（东莞）有限公司范围内与电源供应器、电源转换器、开关电源器、交流供应器、高端电源、以太网集线器局域网网卡、以太网收发器、无线网络通讯周边设备、宽带网络通讯周边设备网络服务器的设计和制造及辅助和附属设施有关的能源管理活动

位于广东省东莞市石碣镇鹤田厦高新科技园振兴路台达工业区的台达电子电源（东莞）有限公司范围内与散热风扇、换气扇、散热模块、马达及相关五金冲压和注塑组件的模具设计和产品制造及辅助和附属设施有关的能源管理活动

(本证书有效性依据发证机构的定期监督获得保持, 证书有效性信息请登录 www.cc.cesi.cn 进行查询)

(本证书信息可在国家认证认可监督管理委员会官方网站 www.cnca.gov.cn 上查询)

注: 认证注册范围不包括未获得有效的国家规定的相关行政许可, 资质许可的产品服务范围

总经理

发证日期: 2020年1月15日

有效期至: 2021年8月30日

北京赛西认证有限责任公司



中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C011-M



地址: 北京市东城区安定门东大街1号

客服电话: 400-071-9000

网址: www.cc.cesi.cn



CERTIFICATE OF MANAGEMENT SYSTEM CERTIFICATION

Certificate No: 01120EN20006R2L(F1-2)

OID No: 1.2.156.1.2.01120EN20006R2L(F1-2)

This is to certify that the Energy Management Systems of

DELTA ELECTRONICS POWER(DONGGUAN) CO., LTD.

(Certificate of Social Credit Code : 91441900712213354W)

(Delta Industrial Estate, Xincheng Estate, Shijie Town, Dongguan City, Guangdong Province
China, 523308)

has complied with the requirements of

GB/T23331-2012/ISO 50001:2011

RB/T101-2013

This certificate is valid for the following scope:

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD., LOCATES AT DELTA INDUSTRIAL ESTATE, XINCHENG ESTATE, SHIJIE TOWN, DONGGUAN CITY GUANGDONG PROVINCE, IS ENGAGED IN DESIGN AND MANUFACTURE OF POWER SUPPLY, ADAPTOR, SWITCH POWER SUPPLY, AC SUPPLY, HIGH-END POWER PRODUCTS, ETHERNET HUB, LAN CARD, ETHERNET TRANSCEIVER WIRELESS NETWORK COMMUNICATION PERIPHERAL EQUIPMENT BROADBAND NETWORK COMMUNICATION PERIPHERAL EQUIPMENT NETWORK SERVERS AND RELATED POWER MANAGEMENT ACTIVITIES OF AUXILIARY AND AFFILIATED FACILITIES

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD., LOCATES AT DELTA INDUSTRIAL ESTATE, ZHENXING ROAD, HETIANXIA HIGH-TECH INDUSTRIAL PARK, SHIJIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, IS ENGAGED IN COOLING FANS, VENTILATION FANS, BLOWERS, HEATSINKS, DC MOTORS AND THEIR ASSOCIATED STAMPING & PLASTIC INJECTION PRODUCTS AND RELATED POWER MANAGEMENT ACTIVITIES OF AUXILIARY AND AFFILIATED FACILITIES

THE VALIDITY OF THIS CERTIFICATE DEPENDS ON THE CONSEQUENCE OF
THE ANNUALLY SURVEILLANCE EXECUTED BY THE CERTIFICATION BODY

PLEASE ACCESS www.cc.cesi.cn OR www.cnca.gov.cn FOR CHECKING VALIDITY OF THE CERTIFICATE

Note: The scope of product services without the related administrative permits and qualifications is
not included in the scope of certification registration.

Issue Date:2020-01-15

Valid Until:2021-08-30

General Manager

CESI Certification Co., Ltd.



中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C011-M



Add: No.1Andingmen Dongdajie Dongchengqu,Beijing,China Tel: 400-071-9000

[Http://www.cc.cesi.cn](http://www.cc.cesi.cn)

证书附件



证书编号: 01120EN20006R2L(F1-2)

OID 编号: 1.2.156.1.2.01120EN20006R2L(F1-2)

发证日期: 2020 年 1 月 15 日

有效期至: 2021 年 8 月 30 日

获证组织名称: 台达电子电源(东莞)有限公司

获证组织地址: 中国广东省东莞市石碣镇新城台达工业区, 523308

证书编号: 01120EN20006R2L(F1-2)

认证依据标准: GB/T23331-2012/ISO 50001:2011 《能源管理体系 要求》

RB/T101-2013 《能源管理体系 电子信息企业认证要求》

审核类型及时间	审核周期单位产品/产值能耗	能耗核算边界
再次认证 2019年01月06日-2019年01月09日	2018年12月至2019年11月 综合能耗: 11601 吨标准煤 单位产品综合能耗: 0.61 吨 标准煤/万台 单位产值综合能耗: 11.32 千克标准煤/万元	位于广东省东莞市石碣镇新城台达工业区和广东省东莞市石碣镇鹤田厦高新科技园振兴路台达工业区的台达电子电源(东莞)有限公司认证范围内的能源消耗, 包括生产系统、辅助生产系统、食堂和员工宿舍, 主要能源种类为电。
	2018年12月至2019年11月 综合能耗: 5388 吨标准煤 单位产品综合能耗: 1.39 吨 标准煤/万台 单位产值综合能耗: 12.18 千克标准煤/万元	位于广东省东莞市石碣镇新城台达工业区的台达电子电源(东莞)有限公司范围内的电源供应器、电源转换器、开关电源器、交流供应器、高端电源的设计和制造过程的能源消耗, 包括生产系统、辅助生产系统、食堂和员工宿舍, 主要能源种类为电。
第 次监督		





管理体系认证证书

证书编号: 01120EN20006R2L-1

OID 编号: 1.2.156.1.2.01120EN20006R2L-1

兹 证 明

台达电子电源（东莞）有限公司

台达电子（东莞）有限公司

(社会信用代码: 91441900618361967X)

(广东省东莞市石碣镇鹤田厦高新科技园振兴路台达工业区, 523300)

能源管理体系符合标准:

GB/T23331-2012/ISO 50001:2011 《能源管理体系 要求》

RB/T101-2013 《能源管理体系 电子信息企业认证要求》

本证书覆盖下述范围:

位于广东省东莞市石碣镇鹤田厦高新科技园振兴路台达工业区的台达电子电源（东莞）有限公司
台达电子（东莞）有限公司范围内与散热风扇、换气扇、散热模块、马达及相关五金冲压和
注塑组件的模具设计和产品制造及辅助和附属设施有关的能源管理活动

(本证书有效性依据发证机构的定期监督获得保持, 证书有效性信息请登录 www.cc.cesi.cn 进行查询)

(本证书信息可在国家认证认可监督管理委员会官方网站 www.cnca.gov.cn 上查询)

注: 认证注册范围不包括未获得有效的国家规定的行政许可, 资质许可的产品服务范围


注: 本证书的有效性取决于主证书有效

总 经 理

发证日期: 2020 年 1 月 15 日

有效期至: 2021 年 8 月 30 日

北京赛西认证有限责任公司



中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C011-M



地址: 北京市东城区安定门东大街 1 号

客服电话: 400-071-9000

网址: www.cc.cesi.cn



CERTIFICATE OF MANAGEMENT SYSTEM CERTIFICATION

Certificate No: 01120EN20006R2L-1

OID No: 1.2.156.1.2.01120EN20006R2L-1

This is to certify that the Energy Management Systems of

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.
DELTA ELECTRONICS (DONGGUAN) CO., LTD

(Certificate of Social Credit Code : 91441900618361967X)

(Delta Industrial Estate Zhenxing Road, Hetianxia High-Tech Industrial Park, Shijie Town, Dongguan City, Guangdong Province, China, 523300)

has complied with the requirements of

GB/T23331-2012/ISO 50001:2011

RB/T101-2013

This certificate is valid for the following scope:

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD., DELTA ELECTRONICS (DONGGUAN) CO., LTD., LOCATES AT DELTA INDUSTRIAL ESTATE ZHENXING ROAD, HETIANXIA HIGH-TECH INDUSTRIAL PARK, SHIJIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, IS ENGAGED IN COOLING FANS, VENTILATION FANS, BLOWERS, HEATSINKS, DC MOTORS AND THEIR ASSOCIATED STAMPING & PLASTIC INJECTION PRODUCTS AND RELATED POWER MANAGEMENT ACTIVITIES OF AUXILIARY AND AFFILIATED FACILITIES

THE VALIDITY OF THIS CERTIFICATE DEPENDS ON THE CONSEQUENCE OF THE ANNUALLY SURVEILLANCE EXECUTED BY THE CERTIFICATION BODY PLEASE ACCESS www.cc.cesi.cn OR www.cnca.gov.cn FOR CHECKING VALIDITY OF THE CERTIFICATE

Note: The scope of product services without the related administrative permits and qualifications is not included in the scope of certification registration.


Note: the validity of this certificate depends on the validity of the main certificate

Issue Date:2020-01-15

Valid Until:2021-08-30

General Manager

CESI Certification Co., Ltd.



中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C011-M



Add: No.1Andingmen Dongdajie Dongchengqu,Beijing,China Tel: 400-071-9000

[Http://www.cc.cesi.cn](http://www.cc.cesi.cn)

证书附件




证书编号: 01120EN20006R2L-1
OID 编号: 1.2.156.1.2.01120EN20006R2L-1

发证日期: 2020 年 1 月 15 日

有效期至: 2021 年 8 月 30 日

获证组织名称: 台达电子电源(东莞)有限公司 台达电子(东莞)有限公司
获证组织地址: 广东省东莞市石碣镇鹤田厦高新科技园振兴路台达工业区, 523300
证书编号: 01120EN20006R2L-1
认证依据标准: GB/T23331-2012/ISO 50001:2011 《能源管理体系 要求》
RB/T101-2013 《能源管理体系 电子信息企业认证要求》

审核类型及时间	审核周期单位产品/产值能耗	能耗核算边界
再次认证 2019年01月06日-2019年01月09日	2018年12月至2019年11月 综合能耗: 4136 吨标准煤 单位产品综合能耗: 0.29 吨标准煤/万台 单位产值综合能耗: 17.36 千克标准煤/万元	位于广东省东莞市石碣镇鹤田厦高新科技园振兴路台达工业区的台达电子(东莞)有限公司范围内的散热风扇、换气扇、散热模块、马达及相关五金冲压和注塑组件的模具设计和产品制造过程的能源消耗, 包括生产系统、辅助生产系统、食堂和员工宿舍, 主要能源种类为电。
第 次监督		
第 次监督		





CERTIFICATE OF MANAGEMENT SYSTEM CERTIFICATION

Certificate No: 01120EN20006R2L-2

OID No: 1.2.156.1.2.01120EN20006R2L-2

This is to certify that the Energy Management Systems of

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.
DELTA NETWORKS (DONGGUAN) CO., LTD.

(Certificate of Social Credit Code : 914419007080123492)

(Delta Industrial Estate, Xincheng Estate, Shijie Town, Dongguan City, Guangdong Province
China, 523308)

has complied with the requirements of

GB/T23331-2012/ISO 50001:2011

RB/T101-2013

This certificate is valid for the following scope:

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD., DELTA NETWORKS (DONGGUAN) CO., LTD., LOCATES AT DELTA INDUSTRIAL ESTATE, XINCHENG ESTATE, SHIJIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, IS ENGAGED IN ETHERNET HUB, LAN CARD, ETHERNET TRANSCEIVER, WIRELESS NETWORK COMMUNICATION PERIPHERAL EQUIPMENT, BROADBAND NETWORK COMMUNICATION PERIPHERAL EQUIPMENT, NETWORK SERVERS AND RELATED POWER MANAGEMENT ACTIVITIES OF AUXILIARY AND AFFILIATED FACILITES

THE VALIDITY OF THIS CERTIFICATE DEPENDS ON THE CONSEQUENCE OF
THE ANNUALLY SURVEILLANCE EXECUTED BY THE CERTIFICATION BODY

PLEASE ACCESS www.cc.cesi.cn OR www.cnca.gov.cn FOR CHECKING VALIDITY OF THE CERTIFICATE

Note: The scope of product services without the related administrative permits and qualifications is
not included in the scope of certification registration.

Note: the validity of this certificate depends on the validity of the main certificate

General Manager

CESI Certification Co., Ltd.

Issue Date:2020-01-15

Valid Until:2021-08-30



中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C011-M



Add: No.1Andingmen Dongdajie Dongchengqu,Beijing,China Tel: 400-071-9000

[Http://www.cc.cesi.cn](http://www.cc.cesi.cn)

证书附件



证书编号: 01120EN20006R2L-2
OID 编号: 1.2.156.1.2.01120EN20006R2L-2

发证日期: 2020 年 1 月 15 日

有效期至: 2021 年 8 月 30 日

获证组织名称: 台达电子电源(东莞)有限公司 达创科技(东莞)有限公司
获证组织地址: 中国广东省东莞市石碣镇新城区台达工业区, 523308
证书编号: 01120EN20006R2L-2
认证依据标准: GB/T23331-2012/ISO 50001:2011 《能源管理体系 要求》
RB/T101-2013 《能源管理体系 电子信息企业认证要求》

审核类型及时间	审核周期单位产品/产值能耗	能耗核算边界
再次认证 2019年01月06日-2019 年01月09日	2018年12月至2019年11月 综合能耗: 2077吨标准煤 单位产品综合能耗: 2.63吨标准煤/万台 单位产值综合能耗: 6.03千克标准煤/万元	位于广东省东莞市石碣镇新城区台达工业区的达创科技(东莞)有限公司范围内的以太网集线器、局域网网卡、以太网收发器、无线网络通讯周边设备、宽带网络通讯周边设备、网络服务器的设计和制造过程的能源消耗, 包括生产系统、辅助生产系统和员工宿舍, 主要能源种类为电。
第 次监督		
第 次监督		

